




6.7 Prestazioni

6.7 Performances

6.7 Leistungen

V63

3.5


Escluso motore
Without motor
Ohne Motor1 0.22 Kw/4p
0.15 Kw/6p

2 0.37 Kw/2p

n1 = 2800	380	400	600	800	1000	1200	1400	1600	1800	1900	n ₂ [min ⁻¹]
n1 = 1400	190	200	300	400	500	600	700	800	900	950	
n1 = 900	125	132	198	264	330	396	462	528	594	620	

V71

5.5


Escluso motore
Without motor
Ohne Motor1 0.75 Kw/2p
0.37 Kw/4p
0.25 Kw/6p2 0.55 Kw/2p
0.25 Kw/4p

3 0.55 Kw/4p

n1 = 2800	380	400	600	800	1000	1200	1400	1600	1800	2000	n ₂ [min ⁻¹]
n1 = 1400	190	200	300	400	500	600	700	800	900	1000	
n1 = 900	125	132	198	264	330	396	462	528	594	660	

V80

10

Escluso motore
Without motor
Ohne Motor1 0.75 Kw/4p
0.55 Kw/6p2 1.1 Kw/2p
0.55 Kw/4p
0.37 Kw/6p

3 0.95 Kw/4p

n1 = 2800	380	400	600	800	1000	1200	1400	1600	1800	2000	n ₂ [min ⁻¹]
n1 = 1400	190	200	300	400	500	600	700	800	900	1000	
n1 = 900	125	132	198	264	330	396	462	528	594	660	



6.7 Prestazioni


6.7 Performances

6.7 Leistungen

V90

24

Escluso motore
Without motor
Ohne Motor




- 1 1.5 Kw/4p
1.1 Kw/6p
- 2 2.2 Kw/2p
1.1 Kw/4p
0.75 Kw/6p
- 3 1.8 Kw/4p

n1 = 2800	380	400	600	800	1000	1200	1400	1600	1800	2000	n ₂ [min ⁻¹]
n1 = 1400	190	200	300	400	500	600	700	800	900	1000	
n1 = 900	125	132	198	264	330	396	462	528	594	660	

V100

46

Escluso motore
Without motor
Ohne Motor




- 1 3 Kw/4p
- 2 2.2 Kw/4p
1.5 Kw/6p
- 3 2.2 Kw/6p

n1 = 1400	190	200	300	400	500	600	700	800	900	1000	n ₂ [min ⁻¹]
n1 = 900	125	132	198	264	330	396	462	528	594	660	

V112

46

Escluso motore
Without motor
Ohne Motor



- 1 4 Kw/4p
- 2 2.2 Kw/6p
- 3 3.0 Kw/4p

n1 = 1400	190	200	300	400	500	600	700	800	900	1000	n ₂ [min ⁻¹]
n1 = 900	125	132	198	264	330	396	462	528	594	660	



6.7 Prestazioni

6.7 Performances

6.7 Leistungen

P ₁ [kW]	n ₁ min ⁻¹	n ₂		T ₂ [Nm]		VM
		max	min	max	min	
0.15	880	620	125	1.9	3.8	VM 63
	1380	950	190	1.5	3.8	VM 63
0.18	880	660	125	2.2	6.0	VM 71
	1350	950	190	1.9	3.8	VM 63
0.25	1400	1000	190	2.0	6.0	VM 71
	900	660	125	3.0	6.0	VM 71
0.37	2770	1900	380	1.5	3.8	VM 63
	2800	2000	380	1.5	6.0	VM 71
	1400	1000	190	3.0	6.0	VM 71
	910	660	125	4.5	12.0	VM 80
0.55	2820	2000	380	2.2	6.0	VM 71
	1400	1000	190	4.4	6.0	VM 71
	1410	1000	190	4.4	12.0	VM 80
	910	660	125	6.7	12.0	VM 80
0.75	2820	2000	380	3.0	6.0	VM 71
	1410	1000	190	6.0	12.0	VM 80
	920	660	125	9.0	24.0	VM 90
0.95	1410	1000	190	7.6	12.0	VM 80
	2830	2000	380	4.4	12.0	VM 80
1.1	1410	1000	190	9.0	24.0	VM 90
	920	660	125	13.4	24.0	VM 90
	1420	1000	190	12.0	24.0	VM 90
1.5	940	660	125	17.6	48.0	VM 100
	1420	1000	190	14.4	24.0	VM 90
2.2	2850	2000	380	9.0	24.0	VM 90
	1430	1000	190	17.6	48.0	VM 100
	940	660	125	26.7	48	VM 100
	940	660	125	26.7	64	VM 112
3	1430	1000	190	24.1	48	VM 100
	1430	1000	190	24.1	64	VM 112
4	1430	1000	190	32.1	64	VM 112

Numero di giri del volantino di comando riferiti al numero di giri in uscita (n₂).

Number of revolution of the hand-wheel control referred to the output speed (n₂).

Anzahl der Umdrehungen des Steuerhandrades bezogen auf die Abtriebsdrehzahl (n₂).

